



VILNIUS UNIVERSITY

FACULTY OF MATHEMATICS AND INFORMATICS

{STUDY PROGRAMME} STUDY PROGRAMME

{Work type}

Work Title in English

Work Title in Lithuanian

Name Surname

Supervisor : pedagogical/scientific title Name Surname

Scientific advisor : pedagogical/scientific title Name Surname

Reviewer : pedagogical/scientific title Name Surname

**Vilnius
2024**

Acknowledgements

The author is thankful the Information Technology Research Center, Faculty of Mathematics and Informatics, Vilnius University, for providing the High-Performance Computing (HPC) resources for this research.

You can also add here acknowledgements for various other things, such as your supervisor, university, company, etc.

Summary

Summary in english.

Keywords: work related keywords, with a *minimum of 3 keywords*, but can be more.

Santrauka

Darbo santrauka.

Raktiniai žodžiai: čia surašomi su darbu susiję raktiniai žodžiai, *minimalus raktinių žodžių kiekis - 3*, tačiau jų gali būti ir daugiau.

List of Figures

1 figure numbers are at the bottom, caption is at the bottom	15
--	----

List of Tables

1 tables are numbered at the top, caption is at the top 14

Contents

Summary	3
Santrauka	4
List of Figures	5
List of Tables	6
List of symbols	8
List of abbreviations	9
Introduction	10
1 Formatting	11
1.1 Mathematical text	11
1.2 Matematinų rezultatų formulavimas	12
1.3 Tables	14
1.4 Images, graphs, charts, photos	14
1.5 Lists	15
2 Presentation of software code	16
2.1 Algorithms	16
2.1.1 Subsubsection example	16
Results and conclusions	17
Appendix 1. Examples of citations	19

List of symbols

This section is for when symbols are used. For example:

- $\mathbb{E} X$ denotes the mean of the random variable X .

List of abbreviations

This section is for when abbreviations are used. For example:

u.d.i.r.v. uniformly distributed independent random variables

Introduction

For any written work, you must refer to the methodology guidelines of the respective study programme¹. These contain all the guidelines for citations, structure, length, etc.

¹The latest methodology requirements for all programmes can be found here, in the respective programme: <https://mif.vu.lt/lt3/en/studies/bachelor-studies>

1 Formatting

This section will give you examples of how to format mathematical text, tables and figures, and describe how to correctly formulate the mathematical results of your final thesis.

1.1 Mathematical text

Mathematical formulas can be embedded in paragraphs of text by separating the formulas \LaTeX code with $\$. . \$$. Example: trigonometric identity $\sin^2 \alpha + \cos^2 \alpha = 1$.

However, formulas will look much nicer if they are separated into separate equations by placing the formula code in the environment $\[. . \]$. Example of an equation:

$$e^{i\alpha} = \cos \alpha + i \sin \alpha, \quad \alpha \in \mathbb{R}.$$

The mathematical symbols \mathbb{R} and e have been used in this equation, with the commands $\backslash\mathbb{R}$ and $\backslash e$ defined at the beginning of this template. Sometimes formulas take several lines, e.g.:

$$\begin{aligned} 2 &= 1 + 1 + 0 = \left(\frac{\sqrt{16}}{\tan^2 \pi/3 + 1} \right) + \ln e + \sin \pi \\ &= (\sin^2 17 + \cos^2 17)^{\ln e} + \cos 0 + (x^{1/\ln x})'. \end{aligned} \tag{1}$$

Don't forget to put a full stop (.) at the end of the formula if it is the end of a sentence. Also note the height of brackets with a large fraction inside $\backslash\frac$, which is automatically adjusted with $\backslashleft(. . . \backslashright)$ or specified with $\backslashbig, \backslashBig, \backslashbbig$.

If the formula is needed later, it does not need to be rewritten each time. You can always quote the formula you need with the \backslasheqref command. For example, the formula with the number above is quoted as follows: equation (1). To do this, the \backslashlabel command must assign a temporary name to the formula, which \LaTeX will automatically change to the required number. More information on \LaTeX mathematical symbols, equations, mathematical environments and commands can be found in this document [12].

Here are some more formulas that use more complex mathematical commands. Matrices and determinants are written using the \LaTeX environments \backslashpmatrix and \backslashvmatrix :

$$A = \begin{pmatrix} 0 & 1 \\ 2 & 3 \end{pmatrix}, \quad \det A = \begin{vmatrix} 0 & 1 \\ 2 & 3 \end{vmatrix} = 0 \cdot 3 - 1 \cdot 2 = -2.$$

For more complex equations and matrices, the \backslashmathtools [2] commands are very useful. The \backslashmathtools package is included in the working template, so you can use its commands directly.

The derivative is written using an apostrophe character ('), for example,

$$(f(x)g(x))' = f'(x)g(x) + f(x)g'(x).$$

Taylor polynomial:

$$p(x) = p(a) + p'(a)(x - a) + \frac{p''(a)}{2!}(x - a)^2 + \dots + \frac{p^{(n)}(a)}{n!}(x - a)^n.$$

For writing simple and partial derivatives, differentials, gradients, etc., the template includes the very handy commands `\dv` and `\pdv`, `\dd`, `\grad` from the `physics` package [1]:

$$\frac{df}{dx}, \quad \frac{d^2f}{dx^2}, \quad \frac{\partial f}{\partial x}, \quad \frac{\partial^5 f}{\partial x^5}, \quad \frac{\partial^2 f}{\partial x \partial y}, \quad df, \quad \nabla f$$

To write the integral in an interval, use the \LaTeX command `\int_{a}^b`:

$$\int_a^b f(x)dx = F(a) - F(b) = F(x) \Big|_a^b$$

For writing multiple, surface, curvilinear integrals you can use the commands `\iint`, `\iiint`, `\oint`, etc.

$$\iint_D f(x, y) dx dy, \quad \iiint_D f(x, y) dS, \quad \int_{\gamma} f(x, y) dl, \quad \oint_{\gamma} P(x, y) dx + Q(x, y) dy.$$

1.2 Matematinų rezultatų formulavimas

To formulate the mathematical results of your work, you should use environments

Definition, *Proposition*, *Theorem*, *Lemma*,
Corollary, *Remark*, *Example*, *Proof*.

These environments are already defined in your thesis template `VUMIFTemplateClass.cls`, by combining the standard \LaTeX commands

`definition`, `proposition`, `theorem`, `lemma`,
`corollary`, `remark`, `example`, `proof`.

Example of a definition:

1.2.1 Definition. A number $p \in \mathbb{N}$ is called a *prime number* if it is divisible only by 1 and itself. The set of prime numbers is denoted by \mathbb{P} .

Example of a proposition:

1.2.2 Proposition. *The average of the product of two independent random variables $X, Y : \Omega \rightarrow \mathbb{R}$ is equal to the product of the averages of the two original variables XY :*

$$\mathbb{E}(XY) = \int_{\Omega} X(\omega)Y(\omega)d\mu(\omega) = \mathbb{E} X \cdot \mathbb{E} Y,$$

provided that the means of X , Y and XY exist.

Important mathematical statements are called *theorems*:

1.2.3 Theorem (First theorem on isomorphism). *Suppose that $f : G \rightarrow H$ is a homomorphism between the groups G and H . Then the image $f(G)$ of the group G is isomorphic to the factor group $G / \ker(f)$, that is*

$$f(G) \cong G / \ker(f).$$

The shorter auxiliary statements are called *lemmas*. However, lemma formulations can also be quite complex:

1.2.4 Lemma (Vector substitution lemma). *Suppose that the vectors of the linear space V over the body k*

$$v_1, v_2, \dots, v_s \tag{2}$$

are linearly independent, and that each vector v_i , $1 \leq i \leq s$ of this family is linearly expressed in vectors

$$w_1, w_2, \dots, w_t. \tag{3}$$

Then $s \leq t$, and there exists a subfamily $w_{j_1}, w_{j_2}, \dots, w_{j_s}$ of the vector family (3), which we replace by the vectors v_1, v_2, \dots, v_s , we get a family of vectors (3) equivalent to the family (3).

The *Remark* environment is for small remarks:

1.2.5 Remark. The condition of the theorem that the interval $[a, b]$ is compact and the function $f(x)$ is continuous on that interval is essential.

Another environment *Example* is used for short numerical or formula examples:

1.2.6 Example. Systems of equations

$$\begin{cases} ax + by = e \\ cx + dy = f \end{cases}$$

Kramer's formula for solutions:

$$x = \frac{D_x}{D}, \quad y = \frac{D_y}{D},$$

here

$$D = \begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc, \quad D_x = \begin{vmatrix} e & b \\ f & d \end{vmatrix} = ed - bf, \quad D_y = \begin{vmatrix} a & e \\ c & f \end{vmatrix} = af - ec.$$

The *proof* syntax is used to record evidence. Below is a proposition and a proof of that proposition. The end of the proof is automatically marked with the \square symbol by \LaTeX .

1.2.7 Proposition. *A square matrix A is non-singular if and only if $\det A \neq 0$.*

Proof. If A is non-singular, then there exists a matrix B such that $AB = I$. By the determinant property of the product of matrices,

$$\det A \cdot \det B = \det AB = \det I = 1.$$

Therefore, $\det A \neq 0$. Now suppose that $\det A \neq 0$. Let A^* be a transposed adjoint matrix. Then:

$$\begin{aligned} AA^* &= \begin{pmatrix} a_{11} & \dots & a_{1n} \\ \vdots & \ddots & \vdots \\ a_{n1} & \dots & a_{nn} \end{pmatrix} \cdot \begin{pmatrix} A_{11} & \dots & A_{n1} \\ \vdots & \ddots & \vdots \\ A_{1n} & \dots & A_{nn} \end{pmatrix} = \begin{pmatrix} \det A & \dots & 0 \\ 0 & \ddots & 0 \\ 0 & \dots & \det A \end{pmatrix} \\ &= \det A \cdot \begin{pmatrix} 1 & \dots & 0 \\ 0 & \ddots & 0 \\ 0 & \dots & 1 \end{pmatrix} = \det A \cdot I. \end{aligned}$$

So, $A \cdot A^* = \det A \cdot I$. Dividing both sides of the identity by the $\det A \neq 0$ gives $A \cdot \left(\frac{1}{\det A} A^*\right) = I$. Similarly, we can show that $\left(\frac{1}{\det A} A^*\right) \cdot A = I$. Hence, $\frac{1}{\det A} A^*$ is the inverse of the matrix A , and hence A is non-singular. \square

Please note that mathematical environments are numbered automatically. Like formulas, mathematical definitions, statements, examples can be cited elsewhere in the text by first naming them with `\label` and then creating a citation reference `\ref` at the appropriate place. For example, we can quote Theorem 1.2.3 or Lem 1.2.4 in the places in the text where we need to refer to them.

1.3 Tables

If tables are presented, the table references should be mentioned in the text, for example: the 1 table. table shows some results.


1 table. *Tables are numbered at the top, caption is at the top*

Column 1	Column 2	Column 3

Each table must have a title, which, like the table number, must appear on the same line above the table. All tables shall be numbered consecutively (letter numbering is not recommended, e.g. Table 7a).

1.4 Images, graphs, charts, photos

If figures are used in the work, they must be mentioned in the text, e.g.: 1 figure. figure shows an example of how to present a figure.



1 figure. *Figure numbers are at the bottom, caption is at the bottom*

Below is the text after the image.

1.5 Lists

Example of a non-numbered list:

- first element;
- second element.

Example of a numbered lists:

1. lorem ipsum dolor sit amet;
2. consectetur adipiscing elit;
3. vivamus a nisl gravida.

2 Presentation of software code

This section outlines the way in which software code can be presented.

2.1 Algorithms

Algorithms are numbered in the same way as figures or tables. They must be mentioned in the text, e.g.: 1 algorithm is used to find the minimum value of the function \mathcal{L} .

1 algorithm Gradual descent pseudocode

```
1: # We assume that  $\mathcal{L}$  is defined in the text
2: Input:  $\mathcal{D}$  – dataset
3: Input:  $\theta_0$  – initializing random values for parameters
4: Input:  $\gamma$  – learning rate, step size
5: Input:  $m$  – number of epochs
6: for  $i = 1, 2, \dots, m$  do
7:    $\theta_i := \theta_{i-1} - \gamma \nabla_{\theta} \mathcal{L}(\mathcal{D}, \theta_{i-1})$ 
8:   # The derivative of function  $\mathcal{L}$  is calculated automatically by autograd
9: end for
```

2.1.1 Subsubsection example

No need to use lots of *subsubsections*.

Results and conclusions

For details of what needs to be written in this section, please refer to the methodology requirements of the respective programme.

References and sources

- [1] S. C. de la Barrera. *The physics package*. URL: <https://ctan.altspu.ru/macros/latex/contrib/physics/physics.pdf> (viewed 2024-06-27).
- [2] M. Høgholm, L. Madsen, the \LaTeX project. *The mathtools package*. URL: <https://sunsite.icm.edu.pl/pub/CTAN/macros/latex/contrib/mathtools/mathtools.pdf> (viewed 2024-06-27).
- [3] OpenAI. *ChatGPT*. 2024. URL: <https://www.openai.com/> (viewed 2024-06-06).
- [4] OpenAI. *ChatGPT*. Atsakymas į klausimą apie citavimo pavyzdį. 2024. URL: <https://chatgpt.com/share/550cde77-019d-414d-b36a-f3ac9b857b9c> (viewed 2024-06-06).
- [5] A. Pavardenis, B. Pavardonis, C. Pavardauskas. "Straipsnio pavadinimas." In: *Žurnalo pavadinimas IV* (2001), pages 8–17.
- [6] A. Pavardenis, B. Pavardonis, C. Pavardauskas. *Knygos pavadinimas*. 172 psl. Miestas, šalis: Leidykla, 2003.
- [7] A. Pavardenis, B. Pavardonis, C. Pavardauskas. *Elektroninės publikacijos pavadinimas*. <http://example.com/kelias/iki/straipsnio.pdf>. 45 KB, žiūrėta 2015-02-01. 2004.
- [8] A. Pavardenis, B. Pavardonis, C. Pavardauskas. *Duomenų rinkinio pavadinimas*. 2022. URL: nuoroda.
- [9] A. Pavardenis, B. Pavardonis, C. Pavardauskas, D. Pavardinskas. "Straipsnio pavadinimas." In: *Rinkinio pavadinimas*. Miestas, šalis: Leidykla, 2002, pages 3–15.
- [10] A. Pavardonis. "Magistrinio darbo pavadinimas." Master's thesis. Universiteto pavadinimas, 2005.
- [11] I. puslapis. *Puslapio pavadinimas*. URL: <puslapis%20nuoroda> (viewed 2024-04-25).
- [12] A. M. Society, the \LaTeX Project. *User's Guide for the amsmath Package (Version 2.1)*. URL: <https://mirror.macomnet.net/pub/CTAN/macros/latex/required/amsmath/amslldoc.pdf> (viewed 2024-06-27).
- [13] A. Surname. "Title of PhD thesis." PhD thesis. Title of university, 2005.
- [14] A. Surname, B. Tsurname, C. Usurname. "Article Title." In: *Journal Title IV* (2001), pages 3–15.
- [15] A. Surname, B. Tsurname, C. Usurname. *Book title*. 172 p. City, country: Publisher, 2003.
- [16] A. Surname, B. Tsurname, C. Usurname. *Online Publication Title*. <http://example.com/path/to/the/article.pdf>. 45 KB, žiūrėta 2015-02-01. 2004.
- [17] A. Surname, B. Tsurname, C. Usurname, D. Vsurname. "Article title." In: *Conference book title*. City, country: Publisher, 2002, pages 3–15.

Appendix 1.

Examples of citations

In the document *bibliography.bib*, you need to add all the cited sources and after using the function `{\cite{name of the cited object}}` the corresponding source will be added to the list of literature sources.

bibliography.bib provides examples of some of the most commonly cited types of sources:

- web pages (*@online*) [11],
- datasets (*@dataset*) [8]
- articles (*@article*) [5, 14],
- articles from conferences (*@inproceedings*) [9, 17],
- books (*@book*) [6, 15],
- theses (*@thesis or mastersthesis/phdthesis*) [10, 13]
- electronic publications (*@misc*) [7, 16]

Examples are also provided for ChatGPT citation, both in general [3] and for a specific conversation [4].